

according to 1907/2006/EC, Article 31 Printing date 30.10.2023 Version number 4 (replaces version 3) Revision: 30.10.2023 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: Akepox 2010 Component A · Article number:

No further relevant information available.

· UFI:

number:

11643 (10616), 11644 (10623), 11645 (10624), 10627_A, 10615_A E4A0-W06W-F00Q-VX7R

 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the mixture

Epoxy resin adhesive

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:	AKEMI chemisch technische Spezialfabrik GmbH	Tel. +49(0)911-642960
	Lechstrasse 28	Fax. +49(0)911-644456
	D 90451 Nürnberg	e-mail info@akemi.de
· Further information obtainable		
from:	Laboratory	
• 1.4 Emergency telephone		

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

H315 Causes skin irritation. Skin Irrit. 2

Eye Irrit. 2 H319 Causes serious eye irritation.


Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Hazard pictograms



 Signal word Warning · Hazard-determining components of labelling: bis[4-(2,3-epoxypropoxy)phenyl]propane Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2) H315 Causes skin irritation. Hazard statements H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Read carefully and follow all instructions. P103 P261 Avoid breathing vapours.

(Contd. on page 2)

EU



according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A

		(Contd. of page 1
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P302+P352	
		Remove contact lenses, if present and easy to do. Continue
		rinsing.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/attention.
	P501	Dispose of contents/container in accordance with local, regional/national/international regulations.
· 2.3 Other hazard	ds	с С
· Results of PBT a	ind vPvB assessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	
 Determination of 	endocrine-	
disrupting proper	ties For information or	n endocrine disrupting properties see section 11.
 Results of PBT a PBT: vPvB: Determination of 	P333+P313 P337+P313 P501 <u>and vPvB assessment</u> Not applicable. Not applicable. endocrine-	IF ON SKIN: Wash with plenty of water. B IF IN EYES: Rinse cautiously with water for several minu Remove contact lenses, if present and easy to do. Conti rinsing. If skin irritation or rash occurs: Get medical advice/attention If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with lo regional/national/international regulations.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:	Mixture of substances listed below with nonhazardous additions.	
· Dangerous components:		
CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-xxxx	bis[4-(2,3-epoxypropoxy)phenyl]propane Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 EUH205 Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5 \%$ Skin Irrit. 2; H315: $C \ge 5 \%$	50-100%
EC number: 701-263-0 Reg.nr.: 01-2119454392-40-0003	Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]	12.5-25%
CAS: 933999-84-9 EC number: 618-939-5 Reg.nr.: 01-2119463471-41-0005	Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1: 2) Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412	12.5-25%
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures · General information: Take affected persons out into the fresh air. Position and transport stably in side position. Immediately remove any clothing soiled by the product. · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly. · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

EU

Trade name: Akepox 2010 Component A (Contd. of page 2) · 4.2 Most important symptoms and effects, both acute and delayed Breathing difficulty Headache Dizziness Nausea Allergic reactions Hazards Danger of impaired breathing. 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon. **SECTION 5: Firefighting measures** 5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide (CO) Under certain fire conditions, traces of other toxic gases cannot be excluded. 5.3 Advice for firefighters Wear fully protective suit. · Protective equipment: Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Collect contaminated fire fighting water separately. It must not enter the sewage · Additional information system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. **SECTION 6: Accidental release measures** 6.1 Personal precautions,

protective equipment and	
emergency procedures	Ensure adequate ventilation
	Use respiratory protective device against the effects of fumes/dust/aerosol.
• 6.2 Environmental precautions:	Do not allow to penetrate the ground/soil.
	Do not allow product to reach sewage system or any water course.
	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
• 6.3 Methods and material for	-
containment and cleaning up:	Dispose of the material collected according to regulations.
	Absorb with liquid-binding material (sand, diatomite, acid binders, universal
	binders, sawdust).
	Ensure adequate ventilation.
· 6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe		
<u>handling</u>	Keep receptacles tightly sealed.	
		(Contd. on page 4)



Page 4/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A

 Information about fire - and explosion protection: 	Store in cool, dry place in tightly closed receptacles. Use only in well ventilated areas. Ensure good ventilation/exhaustion at the workplace. No special measures required.	(Contd. of page 3)
• 7.2 Conditions for safe storage,	including any incompatibilities	
 <u>Storage:</u> Requirements to be met by 		
storerooms and receptacles:	Store only in the original receptacle.	
i	Prevent any seepage into the ground.	
 Information about storage in one 		
common storage facility:	Store away from reducing agents.	
· Further information about storage	Store away from foodstuffs.	
conditions:	Store receptacle in a well ventilated area.	
<u></u>	Keep container tightly sealed.	
· <u>Storage class:</u>	12	
<u>7.3 Specific end use(s)</u>	No further relevant information available.	

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs	Val	
1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane		
Oral	DNEL (Kurzzeit-akut)	0.5 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.5 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	8.33 mg/kg bw/day (ARB)
		3.571 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.75 mg/kg bw/day (ARB)
		0.0893 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	12.25 mg/m³ Air (ARB)
	DNEL (Langzeit-wiederholt)	4.93 mg/m³ Air (ARB)
		0.87 mg/m ³ Air (BEV)
Reaction	mass of 2,2'-[methylenebis((4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-
		xirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane
Oral	DNEL (Langzeit-wiederholt)	6.25 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	104.15 mg/kg bw/day (ARB)
		62.5 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	29.39 mg/m³ Air (ARB)
		8.7 mg/m³ Air (BEV)
933999-84	I-9 Reaction products of he	xane-1,6-diol with 2-(chloromethyl)oxirane (1:2)
Oral	DNEL (Kurzzeit-akut)	0.83 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.83 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	1.7 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	
	, , , , , , , , , , , , , , , , , , , ,	1.7 mg/kg bw/day (BEV)
		(Contd. on page



EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A				
				(Contd. of page 4)
Inhalative	DNEL	(Kurzzeit-akut)	4.9 mg/m³ Air (ARB)	<u>(</u>
			2.9 mg/m³ Air (BEV)	
	DNEL	(Langzeit-wiederholt)	4.9 mg/m³ Air (ARB)	
			2.9 mg/m³ Air (BEV)	
· PNECs			·	
1675-54-3	bis[4-	(2,3-epoxypropoxy)p	henyl]propane	
PNEC (wä	assrig)	10 mg/l (KA)		
		0.0006 mg/l (MW)		
		0.006 mg/l (SW)		
		0.018 mg/l (WAS)		
PNEC (fes	st)	0.065 mg/kg Trockeng	gew (BO)	
		0.034 mg/kg Trockeng	gew (MWS)	
		0.341 mg/kg Trockeng	gew (SWS)	
			(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran	
			xirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane
PNEC (wä	ássrig)	10 mg/l (KA)		
		0.0003 mg/l (MW)		
		0.003 mg/l (SW)		
		0.025 mg/l (WAS)		
PNEC (fes	st)	0.237 mg/kg Trockeng		
			0.029 mg/kg Trockengew (MWS)	
		0.294 mg/kg Trockeng		
		•	xane-1,6-diol with 2-(chloromethyl)oxirane (1:2)	
PNEC (wa		1 mg/l (KA)		
		0.00115 mg/l (MW)		
		0.0115 mg/l (SW)		
		0.115 mg/l (WAS) 0.223 mg/kg Trockeng		
PNEC (fes	'	0.0283 mg/kg Trockeng		
· Additional	inform	0.283 mg/kg Trockeng	e lists valid during the making were used as basis.	
			e lists valid during the making were used as basis.	
· <u>8.2 Expos</u> · Appropriat			further data; see section 7.	
			s personal protective equipment	
		e and hygienic		
measures	<u>.</u>		not eat, drink, smoke or sniff while working.	
			e skin protection cream for skin protection. an skin thoroughly immediately after handling the product.	
			ep away from foodstuffs, beverages and feed.	
	Imr		nediately remove all soiled and contaminated clothing	
			sh hands before breaks and at the end of work.	
			not inhale gases / fumes / aerosols. bid contact with the eyes and skin.	
 Respirator 			necessary if room is well-ventilated.	
			ort term filter device:	
			er A/P2 case of brief exposure or low pollution use respiratory filter dev	vice. In case of
			ensive or longer exposure use self-contained respiratory protection	
Hand protection Preventive skin protection by use of skin-protecting agents is recommended				



according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A

Printing date 30.10.2023

	(Contd. of page 5) After use of gloves apply skin-cleaning agents and skin cosmetics.
	Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:
	STOKO EMULSION (http://www.stoko.com) Skin protection recommendation for skin cleaning after product handling:
	Kresto Classic (http://debstoko.com)
	Skin protection agent recommendation for skin aftercare: STOKO VITAN (http://www.stoko.com)
	The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.
	This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).
	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· <u>Material of gloves</u>	Butyl rubber, BR Chloroprene rubber, CR
	Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· Penetration time of glove material	Value for the permeation: Level \leq 6, 480 min The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
 For the permanent contact gloves made of the following materials are 	
suitable:	Butyl rubber, BR
	Butoject (KCL, Art_No. 897, 898) Nitrile rubber, NBR Camatril (KCL, Art_No. 730, 731, 732, 733)
	Dermatril (Art_No. 740, 741, 742) Chloroprene rubber, CR Camapren (KCL, Art_No. 720, 722, 726)
· As protection from splashes gloves	
made of the following materials are suitable:	Nitrile rubber, NBR
<u></u>	Dermatril (KCL, Art_No. 740, 741, 742) Camatril (KCL, 730, 731, 732, 733)
	Chloroprene rubber, CR Camapren (KCL, Art_No. 720, 722, 726)



Page 7/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A (Contd. of page 6) Not suitable are gloves made of the following materials: Leather gloves Strong material gloves Eye/face protection Tightly sealed goggles Body protection: Protective work clothing SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties General Information · Colour: Light yellow Characteristic · Odour: · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range >200 °C Not applicable. Flash point: · Auto-ignition temperature: 400 °C > 200 °C °C · Decomposition temperature: Not determined. · pH Not applicable Viscosity: Kinematic viscosity Not determined. Not applicable Not determined. Dynamic: Not applicable Solubility Not miscible or difficult to mix. · water: Vapour pressure at 20 °C: 2 hPa Density and/or relative density · Density at 20 °C: 1.18 g/cm³ 9.2 Other information · Appearance: · Form: Pasty · Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. Solvent content: 100.0 % Solids content: · Information with regard to physical hazard classes Void Explosives Void · Flammable gases · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in Void contact with water

(Contd. on page 8)

EU



- FU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A (Contd. of page 7) Oxidising liquids Void Oxidising solids Void Void Organic peroxides Void Corrosive to metals Void · Desensitised explosives **SECTION 10: Stability and reactivity** · 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. · 10.3 Possibility of hazardous May produce violent reactions with bases and numerous organic substances reactions including alcohols and amines. Reacts with reducing agents. Reacts with strong acids. · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. 10.6 Hazardous decomposition products: Irritant gases/vapours **SECTION 11: Toxicological information** 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values relevant for classification: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane Oral LD50 >2,000 mg/kg (rat) (OECD 420) >2,000 mg/kg (rabbit) (OECD 402) Dermal LD50 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane Oral LD50 >5,000 mg/kg (rat) Dermal LD50 >2,000 mg/kg (rat) 933999-84-9 Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2) Oral LD50 8,500 mg/kg (rat) Dermal LD50 >4,900 mg/kg (rabbit) LC50/48h 23.1 mg/l (algae) · Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. · Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. (Contd. on page 9)



Page 9/12

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A • 11.2 Information on other hazards

(Contd. of page 8)

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· <u>12.1 Toxic</u> i	ity		
· Aquatic toxicity:			
1675-54-3	bis[4-(2,3-epoxypropo	xy)phenyl]propane	
IC50	>100 mg/l (BES)		
EC10/16h	100 mg/l (pseudomona	as putida)	
EC50/48h	1.8 mg/l (daphnia mag	na)	
NOEC/21d	0.3 mg/l (daphnia mag	na)	
EC50/72h	11 mg/l (selenastrum o	capricornutum)	
LC50/96h	2 mg/l (Oncorhynchus	mykiss)	
ylmethoxy)benzyl]phenoxy}metł	ebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2- nyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane	
	2.55 mg/l (daphnia ma		
	1.8 mg/l (Selenastrum	· ,	
	2.54 mg/l (Leuciscus id	,	
	•	of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)	
EC50/48h	23.1 mg/l (algae)		
	67 mg/l (daphnia magna)		
LC50/96h	30 mg/l (Leuciscus idus)		
· 12.2 Persis			
degradabil		No further relevant information available.	
12.3 Bioac 12.4 Mobili	cumulative potential	No further relevant information available. No further relevant information available.	
	ts of PBT and vPvB as		
· PBT:		Not applicable.	
· <u>vPvB</u> : Not applicable.			
	crine disrupting		
properties	adverse effects	The product does not contain substances with endocrine disrupting properties.	
Remark:	duverse effects	Toxic for fish	
	ecological information:		
General no	tes:	Toxic for aquatic organisms	
		Do not allow product to reach ground water, water course or sewage system.	
		Also poisonous for fish and plankton in water bodies. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water	
SECTION 1	13: Disposal considera	ations	

al considerations

13.1 Waste treatment methods · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS



Page 10/12

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

	(Contd. of page
20 01 00 separately collected fra	
20 01 27* paint, inks, adhesives a	nd resins containing hazardous substances
· <u>Uncleaned packaging:</u> · <u>Recommendation:</u>	Empty contaminated packagings thoroughly. They may be recycled after the thorough and proper cleaning.
Recommended cleansing agents:	Alcohol
SECTION 14: Transport information	tion
• 14.1 UN number or ID number • ADR, IMDG, IATA	UN3082
	0110002
• <u>14.2 UN proper shipping name</u> • <u>ADR</u> • <u>IMDG</u>	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane Reaction mass of 2,2'-[methylenebis(4,1 phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2 ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2' [methylenebis(2,1-phenyleneoxymethylene)]dioxirane) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Reactio mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]
· <u>IATA</u>	dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy methyl)oxirane and 2,2'-[methylenebis(2,1 phenyleneoxymethylene)]dioxirane), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy methyl)oxirane and 2,2'-[methylenebis(2,1 phenyleneoxymethylene)]dioxirane)
· 14.3 Transport hazard class(es)	
ADR Class Label	9 (M6) Miscellaneous dangerous substances and articles. 9
· IMDG, IATA	
· <u>Class</u> · <u>Label</u>	9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group · ADR, IMDG, IATA	111
• 14.5 Environmental hazards: • Marine pollutant:	Yes Symbol (fish and tree)



according to 1907/2006/EC, Article 31

Printing date 30.10.2023

Version number 4 (replaces version 3)

Revision: 30.10.2023

Trade name: Akepox 2010 Component A

	(Contd. of page 10)
 Special marking (ADR): Special marking (IATA): 	Symbol (fish and tree) Symbol (fish and tree)
 • 14.6 Special precautions for user • Hazard identification number (Kemler code): • EMS Number: • Stowage Category 	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
 <u>14.7 Maritime transport in bulk according to IM</u> instruments 	O Not applicable.
· Transport/Additional information:	
 <u>ADR</u> <u>Limited quantities (LQ)</u> <u>Excepted quantities (EQ)</u> 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <u>Transport category</u> · Tunnel restriction code	3 (-)
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <u>UN "Model Regulation":</u>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIS[4-(2,3-EPOXYPROPOXY)PHENYL] PROPANE, REACTION MASS OF 2,2'-[METHYLENEBIS(4,1- PHENYLENEOXYMETHYLENE)]DIOXIRANE AND 2-({2-[4- (OXIRAN-2-YLMETHOXY)BENZYL]PHENOXY}METHYL) O X I R A N E A N D 2,2'-[METHYLENEBIS(2,1- PHENYLENEOXYMETHYLENE)]DIOXIRANE), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· <u>Directive 2012/18/EU</u> · Named dangerous substances -	
ANNEX I	None of the ingredients is listed.
· Seveso category	E2 Hazardous to the Aquatic Environment
· Qualifying quantity (tonnes) for the	
application of lower-tier	
requirements	200 t
· Qualifying quantity (tonnes) for the	
application of upper-tier	
requirements	500 t
· REGULATION (EC) No 1907/2006	
ANNEX XVII	Conditions of restriction: 3
· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic	
equipment – Annex II	
None of the ingredients is listed.	
	(Contd. on page 12

EU —



Page 12/12

Printing date 30.10.2023

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3)

Revision: 30.10.2023

(Contd. of page 11)

EU

Trade name: Akepox 2010 Component A

· REGULATION (EU) 2019/1148

• <u>REGULATION (EU) 2019/1148</u>		
· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article		
<u>5(3))</u>		
None of the ingredients is listed.		
· Annex II - REPORTABLE EXPLOSIVES PRECURSORS		
None of the ingredients is listed.		
· Regulation (EC) No 273/2004 on drug precursors		
None of the ingredients is listed.		
· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third		
countries in drug precursors		
None of the ingredients is listed.		
· National regulations:		
· Information about limitation of use:	Employment restrictions concerning juveniles must be observed.	
	Employment restrictions concerning pregnant and lactating women must be observed.	
· Waterhazard class:	Water hazard class 2 (Self-assessment): hazardous for water.	
· Substances of very high concern (SVHC) according to REACH, Article 57		
None of the ingredients is listed.		
· VOC EU	0.0 g/l	
15.2 Chemical safety		
<u>assessment:</u>	A Chemical Safety Assessment has not been carried out.	

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Department issuing SDS:
 Date of previous version:

Laboratory
28.02.2022

З

· Version number of previous version:

	0
• Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European
	Agreement Concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	SVHC: Substances of Very High Concern
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eve Irrit. 2: Serious eve damage/eve irritation – Category 2
	, , , , , , , , , , , , , , , , , , , ,
	Skin Sens. 1: Skin sensitisation – Category 1
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3