

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **Akepox 3015 Rapid Bond Component A**

Article number: 10798\_A

UFI: CKF3-C0MG-300E-PDMY

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Epoxy resin

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH  
 Lechstrasse 28  
 D 90451 Nürnberg

Tel. +49(0)911-642960  
 Fax. +49(0)911-644456  
 e-mail info@akemi.de

Further information obtainable from:

Laboratory

#### 1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH  
 Tel. +49(0)911-64296-59  
 Reachable during the following office hours:  
 Monday – Thursday from 07:30 a.m. to 16:30 p.m.  
 Friday from 07:30 a.m. to 13:30 p.m.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07 GHS09

Signal word

Warning

Hazard-determining components of labelling:

bis[4-(2,3-epoxypropoxy)phenyl]propane  
 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and  
 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-  
 [methylenebis(2,1-phenyleneoxymethylene)]dioxirane  
 1,4-bis(2,3-epoxypropoxy)butane

Hazard statements

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.  
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read carefully and follow all instructions.  
 P261 Avoid breathing vapours.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

### Trade name: AkepoX 3015 Rapid Bond Component A

(Contd. of page 1)

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

· **2.3 Other hazards**

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Determination of endocrine-disrupting properties

Contains epoxy constituents. May produce an allergic reaction.

For information on endocrine disrupting properties see section 11.

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-xxxx	bis[4-(2,3-epoxypropoxy)phenyl]propane Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 EUH205 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	25-50%
EC number: 701-263-0 Reg.nr.: 01-2119454392-40-0003	Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317	12.5-25%
CAS: 2425-79-8 EINECS: 219-371-7 Index number: 603-072-00-7 Reg.nr.: 01-2119494060-45-0001	1,4-bis(2,3-epoxypropoxy)butane Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Aquatic Chronic 3, H412	<10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take affected persons out into the fresh air. Position and transport stably in side position.

· After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

### Trade name: AkepoX 3015 Rapid Bond Component A

(Contd. of page 2)

· After swallowing: Do not induce vomiting; call for medical help immediately.  
 Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

Breathing difficulty  
 Coughing  
 Asthma attacks  
 Allergic reactions  
 Danger of impaired breathing.

· Hazards

· **4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irrigation with added, activated carbon.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.  
 CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents:

Water with full jet

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.  
 In case of fire, the following can be released:  
 Carbon monoxide (CO)  
 Hydrogen chloride (HCl)  
 Under certain fire conditions, traces of other toxic gases cannot be excluded.

· **5.3 Advice for firefighters**

· Protective equipment:

Wear self-contained respiratory protective device.  
 Do not inhale explosion gases or combustion gases.  
 Mount respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
 Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.  
 Ensure adequate ventilation  
 Use respiratory protective device against the effects of fumes/dust/aerosol.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
 Inform respective authorities in case of seepage into water course or sewage system.  
 Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Ensure adequate ventilation.

· **6.4 Reference to other sections**

Dispose of the material collected according to regulations.  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

**Trade name: AkepoX 3015 Rapid Bond Component A**

(Contd. of page 3)

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.  
 Keep receptacles tightly sealed.  
 Store in cool, dry place in tightly closed receptacles.  
 Prevent formation of aerosols.  
 Use only in well ventilated areas.

**Information about fire - and explosion protection:**

No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.  
 Prevent any seepage into the ground.

**Information about storage in one common storage facility:**

Do not store together with acids.  
 Do not store together with alkalis (caustic solutions).  
 Store away from reducing agents.  
 Store away from foodstuffs.

**Further information about storage conditions:**

Keep container tightly sealed.  
 Store in cool, dry conditions in well sealed receptacles.  
 Store receptacle in a well ventilated area.

**Storage class:**

10

**7.3 Specific end use(s)**

No further relevant information available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**DNELs****1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane**

Oral	DNEL (Kurzzeit-akut)	0.5 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.5 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	8.33 mg/kg bw/day (ARB)
	DNEL ( Langzeit-wiederholt)	3.571 mg/kg bw/day (BEV)
Inhalative	DNEL ( Langzeit-wiederholt)	0.75 mg/kg bw/day (ARB)
	DNEL (Kurzzeit-akut)	0.0893 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	12.25 mg/m <sup>3</sup> Air (ARB)
	DNEL (Kurzzeit-akut)	4.93 mg/m <sup>3</sup> Air (ARB)
	DNEL (Langzeit-wiederholt)	0.87 mg/m <sup>3</sup> Air (BEV)

**Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane**

Oral	DNEL (Langzeit-wiederholt)	6.25 mg/kg bw/day (BEV)
Dermal	DNEL ( Langzeit-wiederholt)	104.15 mg/kg bw/day (ARB)

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

**Trade name: AkepoX 3015 Rapid Bond Component A**

(Contd. of page 4)

Inhalative	DNEL (Langzeit-wiederholt)	62.5 mg/kg bw/day (BEV) 29.39 mg/m <sup>3</sup> Air (ARB) 8.7 mg/m <sup>3</sup> Air (BEV)
<b>2425-79-8 1,4-bis(2,3-epoxypropoxy)butane</b>		
Oral	DNEL (Langzeit-wiederholt)	0.56 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	9.26 mg/kg bw/day (ARB) 5.56 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	1.63 mg/m <sup>3</sup> Air (ARB) 0.48 mg/m <sup>3</sup> Air (BEV)

## · PNECs

**1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane**

PNEC (wässrig)	10 mg/l (KA)
	0.0006 mg/l (MW)
	0.006 mg/l (SW)
	0.018 mg/l (WAS)
PNEC (fest)	0.065 mg/kg Trockengew (BO)
	0.034 mg/kg Trockengew (MWS)
	0.341 mg/kg Trockengew (SWS)

**Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane**

PNEC (wässrig)	10 mg/l (KA)
	0.0003 mg/l (MW)
	0.003 mg/l (SW)
	0.025 mg/l (WAS)
PNEC (fest)	0.237 mg/kg Trockengew (BO)
	0.029 mg/kg Trockengew (MWS)
	0.294 mg/kg Trockengew (SWS)

**2425-79-8 1,4-bis(2,3-epoxypropoxy)butane**

PNEC (wässrig)	100 mg/l (KA)
	0.0024 mg/l (MW)
	0.024 mg/l (SW)
	0.24 mg/l (WAS)
PNEC (fest)	0.0027 mg/kg Trockengew (BO)
	0.0084 mg/kg Trockengew (MWS)
	0.084 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.· **8.2 Exposure controls**

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the eyes and skin.

(Contd. on page 6)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

### Trade name: Akepox 3015 Rapid Bond Component A

(Contd. of page 5)

· Respiratory protection:

Do not eat, drink, smoke or sniff while working.  
Apply solvent resistant skin cream before starting work.  
Use skin protection cream for skin protection.  
Clean skin thoroughly immediately after handling the product.  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Short term filter device:

· Hand protection

Filter A/P2  
Preventive skin protection by use of skin-protecting agents is recommended.  
After use of gloves apply skin-cleaning agents and skin cosmetics.  
Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:  
STOKO EMULSION (<http://www.stoko.com>)  
Skin protection recommendation for skin cleaning after product handling:  
Kresto Classic (<http://debstoko.com>)  
Skin protection agent recommendation for skin aftercare:  
STOKO VITAN (<http://www.stoko.com>)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  
The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type.  
The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.  
This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

· Material of gloves

Butyl rubber, BR  
Nitrile rubber, NBR  
Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.  
Value for the permeation: Level ≤ 6, 480 min

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR  
Butoject (KCL, Art\_No. 897, 898)  
Nitrile rubber, NBR  
Camatril (KCL, Art\_No. 730, 731, 732, 733)  
Dermatril (Art\_No. 740, 741, 742)

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31


Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

### Trade name: AkepoX 3015 Rapid Bond Component A

(Contd. of page 6)

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <u>As protection from splashes gloves made of the following materials are suitable:</u></li> <li>· <u>Not suitable are gloves made of the following materials:</u></li> <li>· <u>Eye/face protection</u></li> <li>· <u>Body protection:</u></li> </ul> | <p>Chloroprene rubber, CR<br/>Camapren (KCL, Art_No. 720, 722, 726)</p> <p>Nitrile rubber, NBR<br/>Dermatril (KCL, Art_No. 740, 741, 742)</p> <p>Leather gloves<br/>Strong material gloves</p> <p> Tightly sealed goggles</p> <p>Protective work clothing</p> |
|---|--|

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

- |   |                                   |
|---|-----------------------------------|
| · <u>General Information</u>                                      |                                   |
| · <u>Colour:</u>  | Black                             |
| · <u>Odour:</u>   | Specific type                     |
| · <u>Melting point/freezing point:</u>                            | Undetermined.                     |
| · <u>Boiling point or initial boiling point and boiling range</u> | 266 °C                            |
| · <u>Flash point:</u>   | 112 °C                            |
| · <u>pH</u>   | Not determined.<br>Not applicable |
| · <u>Viscosity:</u>   |                                   |
| · <u>Kinematic viscosity</u>                                      | Not determined.                   |
| · <u>Dynamic at 20 °C:</u>  | 30,000 mPas                       |
| · <u>Solubility</u>   |                                   |
| · <u>water:</u>   | Not miscible or difficult to mix. |
| · <u>Vapour pressure at 20 °C:</u>                                | 2 hPa                             |
| · <u>Density and/or relative density</u>                          |                                   |
| · <u>Density at 20 °C:</u>  | 1.64 g/cm <sup>3</sup>            |

#### · 9.2 Other information

- |  |   |
|--|---|
| · <u>Appearance:</u>   |   |
| · <u>Form:</u>   | Fluid   |
| · <u>Important information on protection of health and environment, and on safety.</u> |   |
| · <u>Ignition temperature:</u>   | Product is not selfigniting.                  |
| · <u>Explosive properties:</u>   | Product does not present an explosion hazard. |
| · <u>Solvent content:</u>  |   |
| · <u>Solids content:</u>   | 53.0 %  |

#### · Information with regard to physical hazard classes

- |  |      |
|--|------|
| · <u>Explosives</u>                            | Void |
| · <u>Flammable gases</u>                       | Void |
| · <u>Aerosols</u>                              | Void |
| · <u>Oxidising gases</u>                       | Void |
| · <u>Gases under pressure</u>                  | Void |
| · <u>Flammable liquids</u>                     | Void |
| · <u>Flammable solids</u>                      | Void |
| · <u>Self-reactive substances and mixtures</u> | Void |
| · <u>Pyrophoric liquids</u>                    | Void |
| · <u>Pyrophoric solids</u>                     | Void |

(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

**Trade name: AkepoX 3015 Rapid Bond Component A**

(Contd. of page 7)

· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

**SECTION 10: Stability and reactivity**

· <b>10.1 Reactivity</b>	No further relevant information available.
· <b>10.2 Chemical stability</b>	
· <u>Thermal decomposition / conditions to be avoided:</u>	No decomposition if used according to specifications. No decomposition if used and stored according to specifications.
· <b>10.3 Possibility of hazardous reactions</b>	Reacts with alkali (lyes). Reacts with acids. Exothermic polymerisation.
· <b>10.4 Conditions to avoid</b>	No further relevant information available.
· <b>10.5 Incompatible materials:</b>	No further relevant information available.
· <b>10.6 Hazardous decomposition products:</b>	Carbon monoxide and carbon dioxide

**SECTION 11: Toxicological information**

· <b>11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008</b>	
· <u>Acute toxicity</u>	Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

**ATE (Acute Toxicity Estimates)**

Oral	LD50	20,800 mg/kg (rat)
Dermal	LD50	20,210 mg/kg
Inhalative	LC50/4 h	>202 mg/l (rat)

**1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane**

Oral	LD50	>2,000 mg/kg (rat) (OECD 420)
Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 402)

**Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

**2425-79-8 1,4-bis(2,3-epoxypropoxy)butane**

Oral	LD50	1,163 mg/kg (rat) (OECD 401)
Dermal	LD50	1,130 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/4 h	>11.3 mg/l (rat)

· <u>Skin corrosion/irritation</u>	Causes skin irritation.
· <u>Serious eye damage/irritation</u>	Causes serious eye irritation.
· <u>Respiratory or skin sensitisation</u>	May cause an allergic skin reaction.
· <u>Germ cell mutagenicity</u>	Based on available data, the classification criteria are not met.
· <u>Carcinogenicity</u>	Based on available data, the classification criteria are not met.
· <u>Reproductive toxicity</u>	Based on available data, the classification criteria are not met.
· <u>STOT-single exposure</u>	Based on available data, the classification criteria are not met.

(Contd. on page 9)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

### Trade name: Akepox 3015 Rapid Bond Component A

(Contd. of page 8)

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- Aquatic toxicity:

#### 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

IC50	>100 mg/l (BES)
EC10/16h	100 mg/l (pseudomonas putida)
EC50/48h	1.8 mg/l (daphnia magna)
NOEC/21d	0.3 mg/l (daphnia magna)
EC50/72h	11 mg/l (senastrum capricornutum)
LC50/96h	2 mg/l (Oncorhynchus mykiss)

#### Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

EC50/48h	2.55 mg/l (daphnia magna)
EC50/72h	1.8 mg/l (Senastrum capricornutum)
LC50/96h	2.54 mg/l (Leuciscus idus)

#### 2425-79-8 1,4-bis(2,3-epoxypropoxy)butane

EC50/24h	76 mg/l (daphnia magna) (OECD 202)
EC50/96h	18 mg/l (goo)
EC50/72h	110 mg/l (algae) (OECD 209)
LC50/96h	24 mg/l (piscis) (OECD 203)

- **12.2 Persistence and degradability**

No further relevant information available.

- **12.3 Bioaccumulative potential**

No further relevant information available.

- **12.4 Mobility in soil**

No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- PBT:

Not applicable.

- vPvB:

Not applicable.

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- Remark:

Toxic for fish

- Additional ecological information:

- General notes:

Toxic for aquatic organisms  
Also poisonous for fish and plankton in water bodies.  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

**Trade name: Akepox 3015 Rapid Bond Component A**

(Contd. of page 9)

· European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances

· Uncleaned packaging:· Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Alcohol**SECTION 14: Transport information**· **14.1 UN number or ID number**· ADR, IMDG, IATA

UN3082

· **14.2 UN proper shipping name**· ADR

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane)

· IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane), MARINE POLLUTANT

· IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy)methyl}oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane)

· **14.3 Transport hazard class(es)**· ADR· Class

9 (M6) Miscellaneous dangerous substances and articles.

· Label

9

· IMDG, IATA· Class

9 Miscellaneous dangerous substances and articles.

· Label

9

(Contd. on page 11)

EU

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

**Trade name: AkepoX 3015 Rapid Bond Component A**

(Contd. of page 10)

· <b>14.4 Packing group</b>	
· ADR, IMDG, IATA	III
· <b>14.5 Environmental hazards:</b>	
· <u>Marine pollutant:</u>	Yes Symbol (fish and tree)
· <u>Special marking (ADR):</u>	Symbol (fish and tree)
· <u>Special marking (IATA):</u>	Symbol (fish and tree)
· <b>14.6 Special precautions for user</b>	
· <u>Hazard identification number (Kemler code):</u>	Warning: Miscellaneous dangerous substances and articles. 90
· <u>EMS Number:</u>	F-A,S-F
· <u>Stowage Category</u>	A
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	
Not applicable.	
· <u>Transport/Additional information:</u>	
· ADR	
· <u>Limited quantities (LQ)</u>	5L
· <u>Excepted quantities (EQ)</u>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <u>Transport category</u>	3
· <u>Tunnel restriction code</u>	(-)
· IMDG	
· <u>Limited quantities (LQ)</u>	5L
· <u>Excepted quantities (EQ)</u>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <u>UN "Model Regulation":</u>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIS[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, REACTION MASS OF 2,2'-[METHYLENEBIS(4,1-PHENYLENEOXYMETHYLENE)]DIOXIRANE AND 2-({2-[4-(OXIRAN-2-YLMETHOXY)BENZYL]PHENOXY}METHYL)OXIRANE AND 2,2'-[METHYLENEBIS(2,1-PHENYLENEOXYMETHYLENE)]DIOXIRANE), 9, III

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU	
· <u>Named dangerous substances - ANNEX I</u>	None of the ingredients is listed.
· <u>Seveso category</u>	E2 Hazardous to the Aquatic Environment
· <u>Qualifying quantity (tonnes) for the application of lower-tier requirements</u>	200 t
· <u>Qualifying quantity (tonnes) for the application of upper-tier requirements</u>	500 t
· <u>REGULATION (EC) No 1907/2006 ANNEX XVII</u>	Conditions of restriction: 3

(Contd. on page 12)

EU

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

### Trade name: AkepoX 3015 Rapid Bond Component A

(Contd. of page 11)

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 0.0 g/l

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Department issuing SDS: Laboratory

· Date of previous version: 28.02.2022

· Version number of previous version:

2

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 13)

EU

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.11.2023

Version number 3 (replaces version 2)

Revision: 08.11.2023

**Trade name: Akepox 3015 Rapid Bond Component A**

(Contd. of page 12)

Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU