

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Stone Polish - silicone based

· Article number: 10829, 10843, 10844, 10978, 10979

VYD2-10AM-Q00C-AP6F · UFI:

 1.2 Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance / the

Polishing agent/ Burnishing compound mixture

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-642960 Lechstrasse 28 Fax. +49(0)911-644456 D 90451 Nürnberg e-mail info@akemi.de

· Further information obtainable

Laboratory

1.4 Emergency telephone

number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

H226 Flammable liquid and vapour. Flam. Liq. 3

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms



GHS02 GHS09

· Signal word Warning

· Hazard-determining components of

labelling: Not applicable.

· Hazard statements H226 Flammable liquid and vapour.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements P101 If medical advice is needed, have product container or label at hand.

> P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

Wear protective gloves / eye protection / face protection. P280

P302+P352 IF ON SKIN: Wash with plenty of water. P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

· Additional information: EUH066 Repeated exposure may cause skin dryness or cracking.

(Contd. on page 2)



(Contd. of page 1)

Page 2/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Mixture of substances listed below with nonhazardous additions. · Description:

<u>= = = = = = = = = = = = = = = = = = = </u>		
· Dangerous components:		
CAS: 13475-82-6 EINECS: 236-757-0 Reg.nr.: 01-2119490725-29	2,2,4,6,6-pentamethylheptan Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 4, H413 EUH066	25-50%
EC number: 923-037-2 Reg.nr.: 01-2119471991-29-xxxx	Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	25-50%
CAS: 64741-65-7 EINECS: 265-067-2 Index number: 649-275-00-4 Reg.nr.: 01-2119472146-39	Naphtha (petroleum), heavy alkylate Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 4, H413 EUH066	1-5%
. Additional information:	For the wording of the listed hazard phrases refer to section 16	

For the wording of the listed hazard phrases refer to section 16. Additional information:

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product. Supply fresh air; consult doctor in case of complaints. · After inhalation: Immediately wash with water and soap and rinse thoroughly. After skin contact: Rinse opened eye for several minutes under running water. After eye contact: Do not induce vomiting; call for medical help immediately. After swallowing:

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

CO2, powder or water spray. Fight larger fires with water spray or alcohol Suitable extinguishing agents:

resistant foam.

· For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 3)



Page 3/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and

explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store in a cool location.

· Information about storage in one

common storage facility:

· Further information about storage

conditions:

Store in cool, dry conditions in well sealed receptacles.

Not required.

Storage class:

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that

require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures: The usual precautionary measures are to be adhered to when handling

chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product.

(Contd. on page 4)

(Contd. of page 3)

Page 4/10

· Hand protection

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

· Respiratory protection: Not necessary if room is well-ventilated.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter without use of protective gloves:

STOKODERM (http://www.stoko.com)

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level \leq 6, 480 min

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Camatril (KCL, Art_No. 730, 731, 732, 733)

Fluorocarbon rubber (Viton) Vitoject (KCL, Art No. 890)

· As protection from splashes gloves made of the following materials are suitable:


Neoprene gloves

Nitopren (KCL, Art No. 717)

· Not suitable are gloves made of the following materials:

Leather gloves Strong material gloves

Eye/face protection



(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

· Body protection: Protective work clothing

(Contd. of page 4)

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Cream coloured

· Odour: Mild

· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range 180 °C

· Lower and upper explosion limit

 · Lower:
 0.6 Vol %

 · Upper:
 7 Vol %

 · Flash point:
 47 °C

 · Ignition temperature:
 240 °C

· <u>pH</u> Not determined.

Not applicable

· Viscosity:

Kinematic viscosity
Dynamic at 20 °C:
Not determined.
250 mPas

· Solubility

· water: Not miscible or difficult to mix.

· Vapour pressure at 20 °C: 1 hPa

Density and/or relative density

Density at 20 °C: 0.79 g/cm³

· 9.2 Other information

Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

· <u>Auto-ignition temperature:</u> Product is not selfigniting.

· Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Solvent content:

 $\begin{array}{c} \cdot \overline{\text{Organic solvents:}} \\ \cdot \overline{\text{Solids content:}} \\ \end{array} \begin{array}{c} 84.7 \% \\ 10.3 \% \end{array}$

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

· Flammable liquids Flammable liquid and vapour.

· Flammable solids Void
· Self-reactive substances and mixtures
Void

Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures

Void

· Substances and mixtures, which emit flammable

gases in contact with water

· Oxidising liquids

· Oxidising solids

Void Void Void

(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Printing date 15.12.2022 Revision: 15.12.2022

Trade name: Stone Polish - silicone based

(Contd. of page 5)

· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous

Reacts with strong oxidising agents. reactions No further relevant information available. · 10.4 Conditions to avoid · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition

Carbon monoxide and carbon dioxide products:

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data, the classification criteria are not met. · Acute toxicity

_			
· LD/LC50 values relevant for classification: 13475-82-6 2,2,4,6,6-pentamethylheptan		vant for classification:	
		-pentamethylheptan	
Oral LD50 >5,000 mg/kg (rat) (OECD 401) Dermal LD50 2,200-2,500 mg/kg (rabbit) (OECD 402) Inhalative LC50/8h >5 ppm (rat) LC50/48h >3,193 mg/l (daphnia magna) (ISO 14559)		>5,000 mg/kg (rat) (OECD 401)	
		2,200-2,500 mg/kg (rabbit) (OECD 402)	
		>5 ppm (rat)	
		>3,193 mg/l (daphnia magna) (ISO 14559)	
Ī	Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics		

Oral		>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/8h	>5 mg/l (rat)
	LC50/48h	>1,000 mg/l (daphnia magna) (OECD 202)

64741-65-7 Naphtha (petroleum), heavy alkylate

LD50 Oral >6,000 mg/kg (rat) LD50 >3,000 mg/kg (rbt) Dermal Inhalative LC50/4 h >7.8 mg/l (rat)

· Skin corrosion/irritation	Based on available data, the classification criteria are not met.
· Serious eye damage/irritation	Based on available data, the classification criteria are not met.
· Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
· Aspiration hazard	Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties	
541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane	List II
540-97-6 Dodecamethylcyclohexasiloxan	List II

(Contd. on page 7)



Page 7/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

556-67-2 octamethylcyclotetrasiloxane

(Contd. of page 6)

List II, III

SECTION 12: Ecological information

· 12.1 Toxicity

Λ -	4: _	4 : - : 4	
· Aq	luatic	toxicit	V:

13475-82-6 2,2,4,6,6-pentamethylheptan

IC50/72h >1,000 mg/l (Pseudokirchneriella subcapitata)

EC50/48h >1,000 mg/l (daphnia magna)

NOELR/72h 1,000 mg/l (Pseudokirchneriella subcapitata) (OECD201)

NOELR/21d 0.02 mg/l (daphnia magna) (OECD 211) NOELR/28d 0.267 mg/l (Oncorhynchus mykiss) ((Q)SAR)

EC50/72h >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

LC50/96h >1,000 mg/l (Oncorhynchus mykiss) (OECD 203)

Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics

EL0/48h 1,000 mg/l (daphnia magna)

EL0/72h 1,000 mg/l (Pseudokirchneriella subcapitata)

LL0/96h 1,000 mg/l (Oncorhynchus mykiss)

NOELR/72h 1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

NOELR/21d <1 mg/l (daphnia magna) (OECD 211)

NOELR/28d | 0.192 mg/l (Oncorhynchus mykiss) ((Q)SAR)

EC50/72h >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

LC50/96h >1,000 mg/l (Oncorhynchus mykiss) (OECD 203)

· 12.2 Persistence and

degradability
No further relevant information available.
No further relevant information available.

· <u>12.4 Mobility in soil</u> No further relevant information available.

12.5 Results of PBT and vPvB assessment

 $\begin{array}{ccc} \cdot & \underline{\mathsf{PBT:}} & & \mathsf{Not applicable.} \\ \cdot & \mathsf{vPvB:} & & \mathsf{Not applicable.} \end{array}$

12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach ground water,

water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed together with household garbage. Do not allow product to

reach sewage system.

· European waste catalogue

16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIS
--

16 03 00 off-specification batches and unused products

16 03 06 organic wastes other than those mentioned in 16 03 05

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

(Contd. of page 7)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

SECTION 14: Transport information

· <u>14.1 UN number or ID number</u> · <u>ADR, IMDG, IATA</u>	UN3295
14.2 UN proper shipping name	
· <u>ADR</u>	3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-
	C12, Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan),
	ENVIRONMENTALLY HAZARDOUS
· IMDG	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-C12,
	Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan),
	MARINE POLLUTANT
· IATA	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-C12,
	Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan)

· 14.3 Transport hazard class(es)

· ADR





3 (F1) Flammable liquids. Class · Label

·IMDG





· Class 3 Flammable liquids. · Label

·IATA



· Class 3 Flammable liquids. · Label

14.4 Packing group

· ADR, IMDG, IATA Ш

· 14.5 Environmental hazards:

· Marine pollutant: Symbol (fish and tree) Symbol (fish and tree) · Special marking (ADR):

14.6 Special precautions for user

Warning: Flammable liquids. 30 F-E,S-D

· Hazard identification number (Kemler code): · EMS Number:

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

(Contd. of page 8) Stowage Category Α

14.7 Maritime transport in bulk according to IMO

Not applicable. instruments

· Transport/Additional information:

 Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

 Transport category 3 · Tunnel restriction code D/E

· IMDG

· Limited quantities (LQ) · Excepted quantities (EQ) 5L Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 3295 HYDROCARBONS, LIQUID, (HYDROCARBONS, C10-C12, ISOALKANES, <2% AROMATICS, 2,2,4,6,6-PENTAMETHYLHEPTAN), 3, III,

ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

None of the ingredients is listed. ANNEX I

· Seveso category E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· Qualifying quantity (tonnes) for the

application of lower-tier

200 t requirements

· Qualifying quantity (tonnes) for the

application of upper-tier requirements

REGULATION (EC) No 1907/2006

500 t

ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 10)



AKEMI®

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2022 Version number 4 (replaces version 3) Revision: 15.12.2022

Trade name: Stone Polish - silicone based

(Contd. of page 9)

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· <u>VOC EU</u> 665.0 g/l

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:
 Date of previous version:
 Laboratory
 25.04.2022

· Version number of previous

version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4