

Instructions for Use:

Algae and Moss Remover LONGLIFE

Technical Data Sheet

Page 1 of 2

Properties: AKEMI® Algae and Moss Remover LONGLIFE is a self-acting and

water-soluble cleaning concentrate based on surfactants with auxiliary substances. The product is free of chlorine, acid, lyes and solvents.

substances. The product is free of chlorine, acid, lyes and solvents.

Application Area: AKEMI® Algae and Moss Remover LONGLIFE durably removes organic

films caused by plants on stone tiles, façades, floors, staircases, roofs and walls made of natural and artificial stone such as marble, granite, Solnhofer slabs, quartzite and concrete ashlar, ceramic, plastic and wood. The effect lasts for up to one year and is therefore perfectly suited for the preventive treatment against green and slippery films.

intensively clean with AKEMI® Algae and Moss Remover POWER.

intensively clean with AKEMI® Algae and Moss Remover POWER.

2. Dilute concentrate with water in a ratio of 1:10 to 1:50.

Before the treatment remove deep staining mechanically or

3. Apply the dilution with a watering can or a spraying device (e.g. garden pressure spray) and let it work; ideal working temperature

10 - 25°C.

4. Protect treated surfaces from rain for at least 4 hours.

5. Remaining films are washed off by rainwater or by a water jet after

some days.

Special Notes: - Use biocides safely.

 There is normally no aggressiveness towards garden plants (roses, groves, bushes), however, due to the vast variety of plants a terminal declaration cannot be made. Therefore, if possible do not

allow contact with plants, otherwise rinse immediately with water.

- Do not refill used material into storing containers.

- Protect from direct sunlight and heat.

- Special regulation for Switzerland: AKEMI® Algae and Moss Remover LONGLIFE can be used indoors without restriction,

outdoors only on facades.

- For proper waste disposal, the container must be completely

emptied.

- Recycling in accordance with the guidelines of EU Decision 97/129

EC on the Packaging Directive 94/62/EC.

Technical Data: Coverage: approx. 50 m²/liter (if diluted in a ratio of 1:10)

Colour: clear, colourless
Densitiy: approx. 1.00 g/cm³

pH value: approx. 7

Active ingredients: quaternary ammonium compounds

Storage: If stored in dry and cool condition (5-25°C/41-77°F) in its closed original

container at least 24 months from production.

Health & Safety: Read Safety Data Sheet before handling or using this product.

TDS 12.23



Algae and Moss Remover LONGLIFE

Technical Data Sheet

Page 2 of 2

Important Notice:

The above information is based on the latest stage of development and application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample piece.