

**Technical Data Sheet**

Page 1 of 1

- Properties:** AKEMI® Techno Ceramic Intensive Cleaner is an acid- and lye-free, ready-to-use cleaning spray made of surfactants, auxiliary materials, odoriferous substances and alcohols. The product is free from phosphates; the surfactants contained are biodegradable in correspondence with the legal regulations for surfactants. When used properly, surfaces made of high-tech ceramic surfaces which have been treated with AKEMI® Techno Ceramic Intensive Cleaner are toxicologically harmless upon contact with food in accordance with DIN 10516 (confirmed by an external German testing institute).
- Application Area:** AKEMI® Techno Ceramic Intensive Cleaner is suited for a rapid and thorough cleaning of kitchen countertops, displays, wall coverings and other surfaces made of high-tech ceramic. Removes stubborn dirt, e.g. incrustations by leftovers, layers of oil and grease, residues of soap.
- Instructions for Use:**
1. Spray evenly on the surface to be treated.
  2. Spread the product with a humid cloth and allow it to work for a short period of time.
  3. Afterwards use a humid cloth to remove the dirt. Finish by rubbing the surface with a clean and lint-free cloth until the surface is free of streaks.
  4. For stubborn dirt, repeat the procedure again. If necessary scrub the surface with a brush.
- Special Notes:**
- Do not apply AKEMI® Techno Ceramic Intensive Cleaner on synthetic materials which are not resistant to solvents or rubber. If in doubt, test on an inconspicuous area.
  - A surplus of the product causes blooming and spotting. This can be removed with water.
  - For proper waste disposal, the container must be completely emptied.
  - Recycling in accordance with the guidelines of EU Decision 97/129 EC on the Packaging Directive 94/62/EC.
- Technical Data:**
- |           |                               |
|-----------|-------------------------------|
| Colour:   | colourless                    |
| Density:  | approx. 1.0 g/cm <sup>3</sup> |
| pH value: | approx. 10                    |
- Storage:** If stored in dry and cool condition (5-25°C/41-77°F) in its closed original container at least 24 months from production.
- Health & Safety:** Read Safety Data Sheet before handling or using this product.
- Important Notice:** The above information is based on the latest stage of development and application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample piece.

TDS 01.22